APPENDIX I

### APPENDIX I

### TECHNICAL REFERENCE SCHEDULE

#### **Bell Atlantic Technical References**

- TR72565, Issue 1, 1996, Bell Atlantic Technical Reference Basic Unbundled Loop Services - Technical Specifications (as set forth in Exhibit A, Attachment III).
- TR72570, Issue 1, 1996, Bell Atlantic Technical Reference Analog Unbundled Loop Services with Customer Specified Signaling - Technical Specifications (as set forth in Exhibit B, Attachment III).
- TR72575, Issue 1, 1996, Bell Atlantic Technical Reference Digital Unbundled Loop Services - Technical Specifications (as set forth in Exhibit C, Attachment III).
- TR72580, Issue 1, 1997, Bell Atlantic Technical Reference Analog Unbundled Port Services Technical Specifications (as set forth in Exhibit F, Attachment III).
- TR72585, Issue 1, 1997, Bell Atlantic Technical Reference Digital Unbundled Port Services Technical Specifications (as set forth in Exhibit G, Attachment III).
- BA905, Bell Atlantic Supplement Common Channel Signaling Network Interface Specification.

# Local Loop

- ANSI/IEEE 743-1995, Standard Methods and Equipment for Measuring the Transmission Characteristics of Analog Voice Frequency Circuits.
- ANSI T1.102-1993, American National Standard for Telecommunication Digital Hierarchy Electrical Interfaces.
- ANSI T1.401-1993, American National Standard for Telecommunications Interface Between Carriers and Customer Installations Analog Voicegrade Switched Access Lines Using Loop-Start and Ground-Start Signaling.
- ANSI T1.403-1995, Network to Customer Installation DS1 Metallic Interface.
- ANSI T1.405-1996, Network-to-Customer Installation Interfaces Direct-Inward-
- Dialing Analog Voice Grade Switched Access Using Loop Reverse-Battery Signaling.
- ANSI T1.601-1992, American National Standard for Telecommunications ISDN Basic Access Interface for Use on Metallic Loops for Application at the Network Side of NT. Layer 1 Specification.
- Bellcore TR-NWT-000057, Functional Criteria for Digital Loop Carrier Systems, Issue 2, January 1993.

PART A

### Local Switching

- Bellcore FR-64-LATA, LATA Switching Systems Generic Requirements ("LSSGR"), 1996 Edition, Issue 1, January 1996.
- Bellcore TR-NWT-000008, Digital Interface Between the SLC®96 Digital Loop Carrier System and a Local Digital Switch, Issue 2, August 1987; and Revision 1, September 1993; and Bulletin 1, October 1994.
- Bellcore GR-303-CORE, Integrated Digital Loop Carrier System Generic Requirements, Objectives, and Interface, Issue 1, September 1995; and Revision 2, December 1996.
- Bellcore TR-NWT-000393, Generic Requirements for ISDN Basic Access Digital Subscriber Lines, Issue 2, January 1991.

# Tandem Switching and Operator Services

- Bellcore TR-TSY-000540, LSSGR: Tandem Supplement, Section 20, Issue 2, July 1987; and Revision 1, December 1988; and Revision 2, June 1990.
- Bellcore GR-1149-CORE, OSSGR Section 10: System Interfaces, Issue 1, October 1995.
- Bellcore GR-1158-CORE, OSSGR Section 22.3: Line Information Database, Issue 2, October 1995.

SS7

- ANSI T1.110-1992, American National Standard Telecommunications Signaling System Number 7 ("SS7") General Information.
- ANSI T1.111-1992, American National Standard for Telecommunications Signaling System Number 7 ("SS7") Message Transfer Part ("MTP").
- ANSI T1.111A-1994, American National Standard for Telecommunications Signaling System Number 7 ("SS7") Message Transfer Part ("MTP") Supplement.
- ANSI T1.112-1992, American National Standard for Telecommunications Signaling System Number 7 ("SS7") Signaling Connection Control Part ("SCCP").
- ANSI T1.113-1995, American National Standard for Telecommunications Signaling System Number 7 ("SS7") Integrated Services Digital Network ("ISDN") User Part.
- ANSI T1.114-1992, American National Standard for Telecommunications Signaling System Number 7 ("SS7") Transaction Capabilities Application Part ("TCAP").
- ANSI T1.115-1990, American National Standard for Telecommunications Signaling System Number 7 ("SS7") Monitoring and Measurements for Networks.
- ANSI T1.116-1990, American National Standard for Telecommunications Signaling System Number 7 ("SS7") Operations, Maintenance and Administration Part ("OMAP").

PART A

- ANSI T1.118-1992, American National Standard for Telecommunications Signaling System Number 7 ("SS7") Intermediate Signaling Network Identification ("ISNI").
- Bellcore GR-246-CORE, Bell Communications Research Specification of Signaling System Number 7, Issue 1, December 1994; and Revision 1, December 1995; and Revision 2, December 1996.
- Bellcore GR-317-CORE, Switching System generic requirements for Call Control Using the Integrated Services Digital Network User Part ("ISDNUP"), Bellcore, February, 1994
- Bellcore GR-394-CORE, Switching System generic requirements for Interexchange Carrier Interconnection Using the Integrated Services Digital Network User Part ("ISDNUP"), Bellcore, February, 1994
- Bellcore GR-905-CORE, Common Channel Signaling Network Interface Specification ("CCSNIS") Supporting Network Interconnection, Message Transfer Part ("MTP"), and Integrated Services Digital Network User Part ("ISDNUP"), Issue 2, December 1996.
- Bellcore GR-954-CORE, Common Channel Signaling Network Interface Specification ("CCSNIS") Supporting Line Information Database ("LIDB") Services, Issue 1, June 1994; and Revision 1, October 1995.
- Bellcore GR-1428-CORE, Common Channel Signaling Network Interface Specification ("CCSNIS") Supporting Toll-Free Service, Issue 2, May 1995.
- Bellcore GR-1429-CORE, Common Channel Signaling Network Interface Specification ("CCSNIS") Supporting Call Management Services, Issue 1, August 1994.
- Belicore GR-1432-CORE, CCS Network Interface Specification ("CCSNIS") Supporting Signaling Connection Control Part ("SCCP") and Transaction Capabilities Application Part ("TCAP"), March 1994.
- Bellcore SR-TSV-002275, BOC Notes on the LEC Networks, Issue 2, April 1994.

### AIN

- Bellcore GR-1280-CORE, Advanced Intelligent Network ("AIN") Service Control Point ("SCP") Generic Requirements, Issue 1, August 1993.
- Bellcore TR-NWT-001284, Advanced Intelligent Network ("AIN") 0.1 Switching System Generic Requirements, Issue 1, August 1992, and Bulletin 1, March 1993.
- Bellcore GR-1298-CORE, AINGR: Switching System, Issue 3, July 1996, and Revision 1, November 1996.
- Bellcore GR-1299-CORE, AINGR: Switch Service Control Point ("SCP") Adjunct Interface, Issue 3, July 1996, and revision 1, November 1996.
- Bellcore GR-2863-CORE, CCS Network Interface Specification Supporting Advanced Intelligent Network ("AIN"), Issue 2, December 1995.
- Bellcore GR-2902-CORE, CCS Network Interface Specification ("CCSNIS") Supporting Toll-Free Service Using AIN, Issue 1, May 1995.

# Dedicated and Shared Transport

- ANSI T1.101-1994, American National Standard for Telecommunications Synchronization Interface Standard Performance and Availability.
- ANSI T1.102-1993, American National Standard for Telecommunications Digital Hierarchy Electrical Interfaces.
- ANSI T1.105-1995, American National Standard for Telecommunications Synchronous Optical Network ("SONET") Basic Description including Multiplex Structure, Rates and Formats.
- ANSI T1.105.01-1995, American National Standard for Telecommunications Synchronous Optical Network ("SONET") Automatic Protection Switching.
- ANSI T1.105.02-1995, American National Standard for Telecommunications Synchronous Optical Network ("SONET") Payload Mappings.
- ANSI T1.105.03-1994, American National Standard for Telecommunications Synchronous Optical Network ("SONET") Jitter at Network Interfaces.
- ANSI T1.105.03a-1995, American National Standard for Telecommunications Synchronous Optical Network ("SONET"): Jitter at Network Interfaces DS1
  Supplement.
- ANSI T1.105.04-1995, American National Standard for Telecommunications Synchronous Optical Network ("SONET") Data Communication Channel
  Protocols and Architectures.
- ANSI T1.105.05-1994, American National Standard for Telecommunications Synchronous Optical Network ("SONET") Tandem Connection.
- ANSI T1.105.06-1996, American National Standard for Telecommunications Synchronous Optical Network ("SONET") Physical Layer Specifications.
- ANSI T1.106-1988, American National Standard for Telecommunications Digital Hierarchy Optical Interface Specifications (Single Mode).
- ANSI T1.107-1988, American National Standard for Telecommunications Digital Hierarchy Formats Specifications.
- ANSI T1.107a-1990, American National Standard for Telecommunications Digital Hierarchy Supplement to Formats Specifications (DS3 Format Applications).
- ANSI T1.107b-1991, American National Standard for Telecommunications Digital Hierarchy Supplement to Formats Specifications.
- ANSI T1.117-1991, American National Standard for Telecommunications Digital Hierarchy Optical Interface Specifications ("SONET") (Single Mode Short Reach).
- ANSI T1.119-1994, American National Standard for Telecommunications Synchronous Optical Network ("SONET") Operations, Administration, Maintenance, and Provisioning ("OAM&P") Communications.
- ANSI T1.119.01-1995, American National Standard for Telecommunications Synchronous Optical Network ("SONET") Operations, Administration,
  Maintenance, and Provisioning ("OAM&P") Communications Protection
  Switching Fragment.
- ANSI T1.231-1993, American National Standard for Telecommunications Digital Hierarchy Layer 1 In-Service Digital Transmission performance monitoring.

- ANSI T1.404-1994, Network-to-Customer Installation DS3 Metallic Interface Specification.
- Bellcore GR-253-CORE, Synchronous Optical Network ("SONET"): Common Generic Criteria, Issue 2, December 1995.
- Bellcore GR-334-CORE, Switched Access Service: Transmission Parameter Limits and Interface Combinations, Issue 1, June 1994.
- Bellcore GR-342-CORE, High-Capacity Digital Special Access Service-Transmission Parameter Limits and Interface Combinations, Issue 1, December 1995.
- Bellcore GR-499-CORE, Transport Systems Generic Requirements ("TSGR"): Common Requirements, Issue 1, December 1995.
- Bellcore TR-NWT-000776, Network Interface Description for ISDN-1 Customer Access, Issue 2, February 1993.
- Bellcore GR-820-CORE, OTGR Section 5.1: Generic Transmission Surveillance, Issue 1, November 1994.

#### Network Interface Device

- Bellcore GR-49-CORE, Generic Requirements for Outdoor Telephone Network Interface Devices, Issue 1, December 1994.
- Bellcore TA-TSY-000120, Customer Premises or Network Ground Wire, Issue 1, March 1986.
- Bellcore TR-NWT-000239, Generic Requirements for Indoor Telephone Network Interfaces, Issue 2, December 1993.
- Belicore TR-NWT-000937, Generic Requirements for Building Entrance Terminals, Issue 1, January 1993.

## Collocation

- ANSI/NFPA-1996, National Electrical Code ("NEC"), and any standard imposed by the appropriate governing authority having jurisdiction.
- ANSI C2-1997, National Electrical Safety Code.
- Bellcore GR-63-CORE, Network Equipment-Building System ("NEBS") Requirements: Physical Protection, Issue 1, October 1995.
- Bellcore TR-EOP-000151, Generic Requirements for 24-, 48-, 130- and 140- Volt Central Office Power Plant Rectifiers, Issue 1, May 1985.
- Bellcore TR-NWT-000154, General Requirements for 24-, 48-, 130-, and 140- Volt Central Office Power Plant Control and Distribution Equipment, Issue 2, January 1992.
- Bellcore TR-NWT-000295, Isolated Ground Planes: Definition and Application to Telephone Central Offices, Issue 2, July 1992.
- Bellcore TR-NWT-000840, Supplier Support Generic Requirements ("SSGR"), (A Module of LSSGR, FR-NWT-000064), Issue 1, December 1991.

Bellcore GR-1089-CORE, Electromagnetic Compatibility and Electrical Safety - Generic Criteria for Network Telecommunications Equipment, Issue 1, November 1996. Bellcore TR-NWT-001275 Central Office Environment Installations/Removal Generic Requirements, Issue 1, January 1993.